



# LURBELWORKWEAR



---

# CONTENTS

|    |                                              |    |                                        |
|----|----------------------------------------------|----|----------------------------------------|
| 02 | MLS TEXTILES 1992                            | 14 | FIREWALL TECHNOLOGY                    |
| 03 | LURBEL<br>PRECISION GARMENTS                 | 15 | 4-DENSITY SYSTEM/<br>GARMENT STRUCTURE |
| 04 | MANUFACTURER QUALITY<br>CERTIFICATES         | 16 | THERMAL REQUIREMENTS                   |
| 05 | LURBEL PRECISION<br>WORKWEAR                 | 17 | GRAPHIC CODES                          |
| 06 | TECHNOLOGIES<br>LURBEL WORKWEAR              | 18 | SOCK SERVICES                          |
| 07 | REGENACTIV                                   | 22 | SOCK INDUSTRY                          |
| 08 | BMAX                                         | 28 | FIREWALL GARMENTS                      |
| 09 | PERFORMANCE<br>(SOCKS)                       | 32 | PERSPIRATION GARMENTS                  |
| 10 | AWC                                          | 36 | THERMOREGULATION<br>GARMENTS           |
| 11 | PLANTAR STRUCTURES/<br>TYPES OF AWC WORKWEAR | 44 | THERMAL GARMENTS                       |
| 12 | IDT NEO RECYCLED                             | 54 | SIZING CHARTS                          |
| 13 | PERFORMANCE<br>(GARMENTS)                    |    |                                        |



MLS TEXTILES 1992, S.L. IS A FAMILY TEXTILE COMPANY PIONEER IN THE DEVELOPMENT OF INNOVATIVE TEXTILES, WHOSE ORIGINS DATE BACK TO 1992.

Originally, the company focused on the manufacture of clothing hosiery, but over the years its concern and desire to improve have extended its range to different garments: leggings and first layer T-shirts, outdoor sportswear, compression garments, accessories, etc.

Its day-to-day activities are integrated in Ontinyent, a municipality in the south of the Province of Valencia with a renowned track record in the textile sector, where it applies its extensive knowledge through its latest generation of machinery.

The MLS TEXTILES 1992 S.L. manufacturing plant has a quality management system in accordance with the UNE-EN ISO 9001:2008 Standard and, additionally, a quality management system for medical devices in accordance with the UNE-EN ISO 13485:2013 Standard. With both certifications, the company shows its unwavering commitment to excellence and the highest quality standards.



WITH THE CREATION OF THE OWN BRAND LURBEL, MLS TEXTILES 1992 LAID THE FOUNDATIONS FOR ONE OF THE MAIN DIVISIONS OF THE COMPANY AS IT IS KNOWN TODAY.

Since the brand's origins, research into new raw materials and the development of textile technologies has been a priority, becoming the basis for the launch of sportswear with a differential value marked by performance, features and excellence in quality.

To make this project a reality, the brand is committed to textile research through multiple alliances with technological institutes, multidisciplinary research projects and experts. Moreover, in order to be at the forefront of innovation, its facilities are constantly being renovated and updated, a cross-cutting commitment that affects its facilities, its human team and its latest generation machinery.





In seeking to bring garments to the market with more and improved benefits, MLS textiles 1992 S.L. has for years been committed to research and development. This commitment is reflected in the achievement of various quality seals and standards:



ISO 9001:2008 SEAL  
International standard applied  
to quality management systems.  
Received in 2009.



SEAL 13485:2013  
International standard for quality  
management system in the field of  
healthcare products.



SELLO 14001:2015  
International standard  
for the environmental  
management system.



**IQNET**  
Certified Management System: an  
international body that recognises  
certification of manufacturing and  
brand management.



**INNOVATIVE SME**  
This is a public recognition of the brand's  
commitment to innovation and research, both  
in the development of new products and in the  
textile technologies that they incorporate.



**EQUALITY PLAN**  
The equality plan with approval date 07/02/2020 and expiration date 07/02/2024 is one of the initiatives that MLS Textiles 1992 S.L. includes within its Commitments policy and seeks to align the development of enterprise activity in the company's various lines of business with social and environmental sustainability.



**MINISTRY OF ECOLOGICAL TRANSITION AND THE DEOMOGRAPHIC CHALLENGE SEAL**  
In 2020, MLS Textiles 1992 S.L. calculated the carbon footprint of its activity. From 2017 to the present, MLS Textiles 1992 S.L. has continued to implement measures to reduce its emissions. In 2020, the Ministry of Ecological Transition and the Demographic Challenge awarded it the Seal in the "Calculate and Reduce" phases, which it has managed to maintain over time, after continuing to apply measures to reduce its carbon footprint.



**UNITED NATIONS GLOBAL COMPACT**  
MLS Textiles 1992 S.L. was the first textile company in the Valencian Community to adhere to the United Nations Global Compact with the objective of applying and recognising the measures carried out by the company for sustainable development: Human Rights, Labour Standards, Environment and Anti-Corruption.



Lurbel Workwear was created with the clear desire to improve the comfort of professionals in their workplaces.

To this end, Lurbel has developed new garments, socks and accessories while taking into account the main needs of professionals in the performance of their daily tasks: expulsion of sweat, thermoregulation, thermal retention and fire protection.

The objective is clear: to put the know-how/knowledge of Lurbel products in the sports sector, widely endorsed by thousands of sportsmen and women all over the world in the most adverse environmental and sporting conditions, at the service of the labour sector.

"THE ADDED VALUE OF LURBEL SPORTSWEAR IS AT THE SERVICE OF THE LABOUR SECTOR, THROUGH THE SPECIFIC DEVELOPMENT OF ITS MOST ICONIC REFERENCES ORGANISED ACCORDING TO THEIR PERFORMANCE."





Keeps feet in perfect condition, combating the causes of blisters:

- Overheating
- Moisture
- Friction



**Bmax**<sup>TETRA</sup>  
*regenactiv*<sup>®</sup>  
+FIBRE  
MULTICHANNEL



**Bmax**<sup>MERINO</sup>  
*regenactiv*<sup>®</sup>  
+MERINO  
WOOL

**PERFORMANCE**

The Lurbel Performance range has been created with high-performance features.

This excellence lays the foundation for offering the best in textile technology in all socks.

»COMPRESSIVE«  
POWERED BY **FIR TECH**



**FIR TECH**  
ADDITIVE POLYAMIDE+  
MINERAL PARTICLES

The mission of this technology is to improve pre-sport preparation, optimise sporting performance and enable faster recovery.

Yarn additive with ceramic mineral particles that reflect the infrared rays (FIR) naturally emitted by the body.



**BASE**  
ANTIODOUR  
LAYER

It exerts its power transversely throughout the garment as a guarantee of durability and anti-odour.

»COMPRESSIVE«



ELASTIC YARN WITH  
COMPRESSIVE ACTION

It frees the joints and bone groups and localises their effect, allowing natural movements.

**Firewall**  
*Technology*

Combination of natural viscose fibre with Textar acrylic fibre and 1% pure carbon particles.

To protect against the risk of fire and, if necessary, minimise the effects of the flame in contact with the fabric. It is also very comfortable thanks to its bi-directional weaving system. It also has no seams on its perimeter so as to avoid rubbing against the skin.

NATURAL VISCOSE  
TEXTAR ACRYLIC FIBRE  
PURE CARBON PARTICLES



**BASE**  
ANTIODOUR  
LAYER

RESULT

- Thermal and antistatic protection.

**iDT**<sup>NEO</sup>  
RECYCLED

Combines polyester and carbonised bamboo additive with cross-sectional polyester.

The recycled polyester on which the carbonised bamboo ionic particles are based is obtained from industrial waste from the textile chain and selected PET packaging.

ADDITIVE POLYESTER  
WITH CHARRED BAMBOO  
CROSS-SECTION POLYESTER  
Absorption, dissipation  
and moisture drying



**BASE**  
ANTIODOUR  
LAYER


RESULT

- Thermoregulation
- Cooling and moisture control

**PERFORMANCE**


The Lurbel Performance range is designed with high performance features thanks to its technical multifilament yarn. This excellence lays the foundation for offering the best in textile technology in all garments.

**PERFORMANCE**  
*DRY*




MULTI-CHANNEL  
SECTION POLYESTER+  
**BASE**  
LAYER

**PERFORMANCE**  
*ROUND*




CIRCULAR SECTION  
POLYESTER+  
**BASE**  
LAYER

**PERFORMANCE**  
*HOLLOW*



POLYPROPYLENE HOLLOW  
SECTION+  
**BASE**  
LAYER

**PERFORMANCE**  
*MERINO*



MERINO WOOL +  
POLYPROPYLENE +  
**BASE**  
LAYER

*regenactiv*<sup>®</sup>

FABRIC OF MARINE ORIGIN  
THAT PROTECTS THE SKIN



*regenactiv*<sup>®</sup>

The cellulose fibre base with additive particles from marine ions brings protective qualities to the technology.



**ANTIODOUR  
BASE  
LAYER**

The "Anti-Odour Base Layer" exerts its antibacterial power across the entire garment as a guarantee of durability and anti-odour qualities.

ORIGIN

At the beginning of 2009, after combining it with other fibres that enhance its performance in the sporting sector, it originated as a Bmax, so the Regenativ version is positioned as a recovery sock.

RESULT

The skin regains its natural immune capacity.



MISSION

It keeps the skin at the correct level of asepsis allowing an optimal skin environment.

To do this, it combats the factors that destabilise its natural protective barrier due to excessive sweating, irritability, friction, fungal growth, etc.

PROPERTIES

**PROTECTION AGAINST FUNGI AND BACTERIA**  
It prevents infections on skin lesions and the appearance of bad odours.

**HIGH ABSORPTION CAPACITY**  
It absorbs excess moisture, helping to create an optimal skin environment while acting as a mechanical barrier, absorbing exudate and improving the recovery of the skin.

**PREVENTS AND AVOIDS OVERHEATING  
OF THE SKIN AND SKIN IRRITATION**

**ACCELERATES RECOVERY FROM INJURIES  
TO THE SKIN BY KEEPING IT ASEPTIC.**

ANALYSIS AND STUDIES

**ANTIBACTERIAL AND ANTIFUNGAL ACTION**  
Fighting bacteria and fungi is one of the main missions of Regenactiv fabric.

The results of the analyses carried out show surprising figures for the reduction in the levels of bacteria and fungi causing skin infections, body odour, mycosis and dermatophytosis.




**Bmax**<sup>TETRA</sup>  
*regenactiv*<sup>®</sup> + MULTICHANNEL FIBRE

In conditions of high perspiration, it prevents overheating of the foot while expelling excess moisture to the outside and minimising the risk of irritation due to friction.

**Bmax**<sup>HOLLOW</sup>

*regenactiv*<sup>®</sup> + HOLLOW FIBRE


In cold temperatures, it retains body heat while expelling excess moisture to the outside.



**Bmax**<sup>MERINO</sup>

*regenactiv*<sup>®</sup> + MERINO WOOL

Merino wool provides thermal comfort and has a characteristic natural feel. Retains body temperature while expelling excess moisture to the outside.



If your day-to-day life requires you to give your best, why not demand the same from your work clothes?

Long working hours, day after day in changing conditions put a strain on the performance of your clothing.

The technological fabrics that Lurbel applies in its Performance collection are able to provide you with the high-performance features you need to keep up the pace with total security.

**PERFORMANCE**  
*TETRA*

MULTICHANNEL FIBRE  
Breathability

+

ANTI-ODOUR BASE  
Anti-odour

**PERFORMANCE**  
*MERINO*

MERINO WOOL  
Thermal and natural

+

POLYAMIDE

+

ANTI-ODOUR BASE  
Anti-odour





CUSHIONING SYSTEM  
WITH OPTIMISED COOLING.

**Air:**  
Improves the cooling flow of the foot by expelling heat faster through its ventilation waves.

**Waves:**  
The key is the design of this plantar structure that embeds relief waves and cooling waves with micro-perforated fabric. A combination of densities that enhances the circulation of air through its micro-perforated channels and at the same time provides cushioning in those that have extra relief.

**Comfort:**  
Convenience, comfort and breathability guaranteed.



OPTIMISATION FOR  
WORK ACTIVITY

Designed specifically for the work environment, where the temperature of the foot due to contact and friction with the safety boot or work footwear is very high and there is a risk of overheating.

RESULT

Expels excess moisture and heat to the outside, faster and faster without losing cushioning.

# PLANTAR STRUCTURES

**ESP** ESP STRUCTURE

We place more density in the strategic points where the foot rubs more with the footwear.



**EN [1 · 2 · 3]**

From less to more dense to provide you with the protection you need at all times.

 ZERO CUSHIONING

We give full attention to the sensitivity of the foot in contact with the footwear.

 MID CUSHIONING

Additional reinforcement in the areas most exposed to chafing.

 TOTAL CUSHIONING

Fully cushioned insole for a cushioned feel with every step.

**AWC** AIR WAVES COMFORT

This cushioning system with optimised cooling protects the areas with the highest friction (ESP) by alternating higher density or volume relief waves with micro-perforated fabric.



**AWC [0 · 1 · 2 · 2+ · 3+]**

From maximum perspiration to maximum cushioning, a version for every need.



# AWC WORKWEAR TYPES



Optimised plantar structure for activities where the temperature of the foot due to contact and friction with the surface at high temperatures is very high and there is a risk of overheating, it evacuates more and faster the excess of humidity and heat to the outside without losing cushioning.




Plantar structure where the minimum separation between the relief waves and ventilation waves is sought, with micro-perforated fabric in the areas of greatest impact, and double fabric in the toe and heel for greater cushioning and comfort.



**iDT**NEO

Polyester, with the addition of bamboo, is also combined with a multifilament cross-section polyester and uses recycled polyester in the yarn supporting the ionic carbonised bamboo particles. Multiplies moisture absorption, dissipation and drying performance.



ANTIODOUR  
**BASE**  
LAYER

The "Anti-Odour Base Layer" exerts its antibacterial power across the entire garment as a guarantee of durability and anti-odour qualities.




PURPOSE

To improve the thermoregulatory capacity of the iDT tissue for a correct balance of body temperature of the athlete, in the interest of a more effective sporting performance (performing better and for longer).


RESULT

Your iDT Neo clothes and your body work together to satisfy the cooling and control demands of the humidity of every moment.




**PERFORMANCE**  
DRY

Optimum comfort in high temperatures thanks to the multifilament polyester with multi-channel section, increasing breathability, dissipation and moisture-wicking performance. The anti-odour grid provides maximum comfort, preventing the development of unpleasant odours.




**PERFORMANCE**  
ROUND

Optimal comfort in low temperatures; thanks to the circular section multifilament polyester, body temperature is retained without forgetting the perspiration and expulsion of sweat. The anti-odour grid provides maximum comfort, preventing the development of unpleasant odours.




**PERFORMANCE**  
HOLLOW

Optimal comfort in very low temperatures; thanks to the hollow multifilament polypropylene, it provides a high retention of body temperature with breathability and moisture dissipation. The anti-odour grid provides maximum comfort, preventing the development of unpleasant odours.




**PERFORMANCE**  
MERINO

Natural thermoregulation thanks to the highest quality merino wool combined with multifilament polypropylene, providing thermal regulation in both high and low temperatures as well as its characteristic softness and feeling of natural comfort, which are multiplied by its combination with the skeleton, or anti-odour grid, present in all Lurbel garments.



## Firewall Technology

Combination of natural viscose fibre with Textar acrylic fibre and 1% pure carbon particles.








## ANTIODOUR BASE LAYER

The "Anti-Odour Base Layer" exerts its antibacterial power across the entire garment as a guarantee of durability and anti-odour qualities.

In seeking to bring garments to the market with more and improved benefits, MLS textiles 1992 S.L. has for years been committed to research and development.

This commitment is reflected in the achievement of various quality seals and standards:



Levels of provision according to UNE EN ISO 11612:2015:  
Limited flame spread: A1  
·There is no destruction up to the edges.  
·There is no formation of hole  
·There is no fusion  
·Post-incandescence time  $\leq 2s$   
·Post-combustion time  $\leq 2s$

### PURPOSE

Thermal and anti-static protection.  
In case of burns, non-adhesion of the tissue.

### RESULT

In addition to the flame-retardant qualities provided by its fabric, it is also very comfortable thanks to its bidirectional weaving system. It also has no seams on its perimeter so as to avoid rubbing against the skin.

### THE MISSION OF THIS TECHNOLOGY IS:

To protect against the risk of fire and, where appropriate, minimise the effects of the flame in contact with the fabric.

### PROPERTIES:

Anti-static properties: Presence of 1% pure carbon.  
Antibacterial properties:  
Ionised yarn throughout the garment (Anti-odour Base Layer)  
Thermoregulatory properties: Thermal insulation  
Natural touch: high percentage of natural raw material (>50%)

# 4-DENSITY SYSTEM




DENSITY **1**  
Maximum breathability and lightness.



DENSITY **2**  
Maximum comfort and durability.



DENSITY **3**  
Maximum consistency and performance.



DENSITY **4**  
Maximum protection and thermal insulation.

4-density system. A structure for each type of garment.  
A garment for every activity.

Our more than 30 years of excellence in textile manufacturing enables us to apply the innovation born out of our R&D laboratories, setting our high-performance garments apart.

With the level of wisdom and experience of our expert weavers and the latest textile technology on the market, we are able to develop fabrics that maximise the performance of our technologies.

For this reason, we have defined a novel system of 4 different fabric densities, adapting each garment to the nuances required by each environmental condition and physical activity. In addition, this system of densities allows us to place the garments in their different thermal demands.


"One size fits all" does not apply in the world of Lurbel technical garments. Your Lurbel garment and your body will work in coordination to meet the demands of your work activity at all times, finding the right balance.

# GARMENT STRUCTURE

With the aim of achieving maximum comfort and freedom of movement, we make our garments with state-of-the-art weaving machines and seamless technology.


Seamless technology creates the different pieces of a garment from tubes, providing the following advantages:

- The absence of seams all around the perimeter, which prevents and reduces the appearance of chafing or discomfort during the working day.
- Maximum adaptability and second skin effect.
- Freedom of movement



# THERMAL REQUIREMENTS

Lurbel develops each garment while taking into account the specific environmental conditions to each work activity and the needs of the professional at any given time.



COOL

Maximum expulsion of moisture

TECH

Maximum thermoregulation

THERM

Temperature retention in cold conditions

XTREM

Maximum retention of body heat

## GARMENTS

### COOL FEEL COOL

Odourless and maximum perspiration properties. Very specific use during high-temperature activities.

### TECH FEEL THERMOTECH

Body thermoregulation. Odourless and high perspiration properties. Very specific use in activities with temperature variation.

### THERM FEEL THERMO PLUS

Temperature retention. Odourless properties and good breathability. Very specific use when working in low temperatures.

### XTREM FEEL THERMO XTREM

Maximum temperature retention. Odourless properties and good breathability. Very specific use when working in very low temperatures.

## SOCKS

In this section you will find the thermal requirements for the hosiery collection, with the needs of the professional in mind depending on the intensity of the work activity, perspiration and weather conditions.

# GRAPHIC CODES

Our guide to symbols will help you easily and quickly recognise the properties all our garments

W

WOMEN

M

MEN

U

UNISEX

## ADJUSTMENTS FOR GARMENTS AND SOCKS

LOW COMPRESSION  
Gradual compression 15-10 mm/Hg

HIGH COMPRESSION  
Gradual compression 20-25 mm/Hg

STANDARD ADJUSTMENT  
Standard adaptability.

STANDARD FIT  
Straight cut

SLIM FIT  
Second-skin effect

EXTRA ADJUSTMENT  
Maximum adaptability.

## SPECIAL CHARACTERISTICS

REINFORCED  
Greater resistance of the garment.

REFLECTIVE  
High visibility bands.

ASYMMETRIC  
Differentiated right and left garment for better application of the benefits on the body.

UPF  
Protects the skin from the sun's rays.

HEAT AND FLAME  
Protective clothing against heat and flame.

ELECTROSTATIC  
Protective clothing with electrostatic properties.

NATURAL FIBRES  
High percentage of natural fibre.

All our products have the following properties:

SEAMLESS  
Seamless circumference.

BREATHABLE  
Dissipates moisture to the outside.

ANTI-ODOUR  
Prevents the entry or creation of microbes.

ANTI-WRINKLE  
Prevents the creation of annoying wrinkles.

BIDIRECTIONAL  
Bidirectional fabric structure, freedom of movement.

All our socks have the following properties:

DOUBLE HEEL  
Specific reinforcement in the heel area.

ADJUSTABLE  
Areas that help support.

# SOCK SERVICES

Many occupations require high activity for the feet and legs, while others require little movement of the lower limbs. Whatever the requirement, we have the socks for it.

Socks for the service sector are specifically designed for more dynamic professions that require prolonged standing or walking, as well as for more static jobs, with options for high socks with medium-high compression to improve the circulation.

The qualities of service sector socks include comfort, maximum skin care and breathability for those professions that require high activity and therefore high perspiration.



Technologies sheet  
Sock



TECHNOLOGY

THERMAL REQUIREMENT

COOL

0°C · 15°C · 25°C · 35°C

PLANTAR STRUCTURE

PERSPIRATION

THERMAL RETENTION

PROTECTION



0000  
Black



0101  
White

U 00A1.041U

Product sheet ▶



### THIN ONE

SERVICE SECTOR SOCK / UNISEX

|            |                                                        |         |           |                     |
|------------|--------------------------------------------------------|---------|-----------|---------------------|
| Sizes      | S - M - L - XL                                         | Chart 1 | Height H1 | Weight (size M) 11g |
| Tech.Comp. | 25% Viscose, 25% Polyester, 46% Polyamide, 4% Elastane |         |           |                     |
| Conditions | Quantity per size and colour: 3 pairs                  |         |           |                     |



0000  
Black



0101  
White

U 00A1.042U

Product sheet ▶



### THIN TWO

SERVICE SECTOR SOCK / UNISEX

|            |                                                        |         |           |                     |
|------------|--------------------------------------------------------|---------|-----------|---------------------|
| Sizes      | S - M - L - XL                                         | Chart 1 | Height H2 | Weight (size M) 15g |
| Tech.Comp. | 24% Viscose, 24% Polyester, 43% Polyamide, 9% Elastane |         |           |                     |
| Conditions | Quantity per size and colour: 3 pairs                  |         |           |                     |



0000  
Black



0101  
White

U 00A1.043U

Product sheet ▶



### THIN FIVE

SERVICE SECTOR SOCK / UNISEX

|            |                                                        |         |           |                     |
|------------|--------------------------------------------------------|---------|-----------|---------------------|
| Sizes      | S - M - L - XL                                         | Chart 1 | Height H5 | Weight (size M) 21g |
| Tech.Comp. | 25% Viscose, 25% Polyester, 42% Polyamide, 8% Elastane |         |           |                     |
| Conditions | Quantity per size and colour: 3 pairs                  |         |           |                     |



TECHNOLOGY

THERMAL REQUIREMENT

COOL

0°C · 15°C · 25°C · 35°C

PLANTAR STRUCTURE

PERSPIRATION

THERMAL RETENTION

PROTECTION

FIT

»COMPRESSIVE«



0000  
Black



0101  
White

U 00A1.045U

Product sheet ▶



### THIN SIX COMPRESSION

SERVICE SECTOR SOCK / UNISEX

|            |                                                       |         |           |                     |
|------------|-------------------------------------------------------|---------|-----------|---------------------|
| Sizes      | S - M - L - XL                                        | Chart 1 | Height H6 | Weight (size M) 31g |
| Tech.Comp. | 8% Viscose, 8% Polyester, 70% Polyamide, 14% Elastane |         |           |                     |
| Conditions | Quantity per size and colour: 3 pairs                 |         |           |                     |





# SOCK INDUSTRY

Many occupations require high activity for the feet and legs, while others require little movement of the lower limbs. Whatever the requirement, we have the socks for it.

Socks intended for the industrial sector are specifically designed for those professions that require high demands on the feet and the use of safety footwear, so that the protection of the areas where the greatest pressure or excess friction is applied is very important.

The qualities of socks for the industrial sector include comfort, maximum skin care, body temperature retention, breathability and protection of the areas most vulnerable to chafing or friction.



Technologies sheet  
Sock



STANDARD  
100  
2015OK0636  
AITEX  
www.oeko-tex.com

TECHNOLOGY

**Bmax**TETRA

THERMAL REQUIREMENT

COOL

0°C · 15°C · 25°C · 35°C

PLANTAR STRUCTURE

**AWC 30**

PERSPIRATION

THERMAL RETENTION

PROTECTION

0014  
Black  
Yellow

2814  
Ice Grey  
Yellow

U 00A1.044U

Product sheet ▶

RANK FOUR

INDUSTRY SECTOR SOCK / UNISEX

Sizes

S - M - L - XL

| Chart 1 |

Height H4

| Weight (size M)30g

Tech.Comp.

31% Viscose, 31% Polyester, 28% Polyamide, 10% Elastane

Conditions

Quantity per size and colour: 3 pairs

© 4 S

TECHNOLOGY

**Bmax**TETRA

THERMAL REQUIREMENT

COOL

0°C · 15°C · 25°C · 35°C

PLANTAR STRUCTURE

**AWC 30**

PERSPIRATION

THERMAL RETENTION

PROTECTION

2814  
Ice Grey  
Yellow

U 00A1.049U

Product sheet ▶

IKO FIVE

INDUSTRY SECTOR SOCK / UNISEX

Sizes

S - M - L - XL

| Chart 1 |

Height H5

| Weight (size M)32g


Tech.Comp.

33% Viscose, 33% Polyester, 30% Polyamide, 4% Elastane

Conditions

Quantity per size: 3 pairs

© 4 S



TECHNOLOGY

**PERFORMANCE**TETRA

THERMAL REQUIREMENT

COOL

0°C · 15°C · 25°C · 35°C

PLANTAR STRUCTURE

**AWC 30**

PERSPIRATION

THERMAL RETENTION

PROTECTION

0014  
Black  
Yellow

2814  
Ice Grey  
Yellow

U 00A1.046U

Product sheet ▶

KEEPER FIVE

INDUSTRY SECTOR SOCK / UNISEX

Sizes

S - M - L - XL

| Chart 1 |

Height H5

| Weight (size M)31g

Tech.Comp.

58% Polyester, 35% Polyamide, 7% Elastane

Conditions

Quantity per size and colour: 3 pairs

© S

TECHNOLOGY

**Bmax**MERINO

THERMAL REQUIREMENT

**THERM**

-15°C · -5°C · 5°C · 15°C

PLANTAR STRUCTURE

**AWC 3+**

PERSPIRATION

THERMAL RETENTION

PROTECTION



0014  
Black  
Yellow

u

00A1.047U

Product sheet ▶



NAO FIVE

INDUSTRY SECTOR SOCK / UNISEX

Sizes

S - M - L - XL

|

Chart 1

|

Height H5

|

Weight (size M)30g

Tech.Comp.

23% Viscose, 35% Merino Wool, 34% Polyamide, 8% Elastane

Conditions

Quantity per size: 3 pairs

©

4

S

TECHNOLOGY

**Bmax**MERINO

THERMAL REQUIREMENT

**XTREM**

-20°C · -10°C · -5°C · 5°C

PLANTAR STRUCTURE

**AWC 3+**

PERSPIRATION

THERMAL RETENTION

PROTECTION



0337  
Dark Grey  
Mustard

u

00A1.050U

Product sheet ▶



HARD FIVE

INDUSTRY SECTOR SOCK / UNISEX

Sizes

S - M - L - XL

|

Chart 1

|

Height H5

|

Weight (size M)45g

Tech.Comp.

24% Viscose, 36% Merino Wool, 33% Polyamide, 7% Elastane

Conditions

Quantity per size: 3 pairs

©

4

S

TECHNOLOGY

**PERFORMANCE**  
MERINO

THERMAL REQUIREMENT

**THERM**

-15°C · -5°C · 5°C · 15°C

PLANTAR STRUCTURE

**AWC 3+**

PERSPIRATION

THERMAL RETENTION

PROTECTION



0014  
Black  
Yellow

u

00A1.048U

Product sheet ▶



LEVE FIVE

INDUSTRY SECTOR SOCK / UNISEX

Sizes

S - M - L - XL

|

Chart 1

|

Height H5

|

Weight (size M)30g

Tech.Comp.

46% Merino Wool, 46% Polyamide, 8% Elastane

Conditions


Quantity per size: 3 pairs

©


S



# GARMENTS Firewall



BREATHABILITY



HEAT RETENTION

## CONVECTIVE HEAT: B1

| Level of performance | HTI°24 value ranges |      |
|----------------------|---------------------|------|
|                      | Min.                | Max. |
| B1                   | 4                   | <10  |
| B2                   | 10                  | <20  |
| B3                   | ≥20                 |      |

## RADIANT HEAT: C1

| Level of performance | HTI°24 value ranges |      |
|----------------------|---------------------|------|
|                      | Min.                | Max. |
| C1                   | 7                   | <20  |
| C2                   | 20                  | <50  |
| C3                   | 50                  | <95  |
| C4                   | ≥95                 |      |

## CONTACT HEAT: F1

| Level of performance | Threshold time (s) |      |
|----------------------|--------------------|------|
|                      | Min.               | Max. |
| F1                   | 5                  | <10  |
| F2                   | 10                 | <150 |
| F3                   | ≥15                |      |

Technology sheet  
▼ Firewall



4747\*  
Medium Grey



u 00A3.311U

Product sheet ▶



## FIREWALL shirt

Firewall  
Technology

SHIRT LONG SLEEVES | SLIM FIT

Sizes XS - S - M - L - XL - XXL | Chart 20 | Weight (size M)185g  
Tech.Comp. 69% Viscose FR, 10% Acrylic Tecstar, 18% Ion Polyamide, 1% Carbon, 2% Elastane  
Conditions Quantity per size: 1 unit



\*Pre-order only

| CE 0161   CAT. III                          |                |               |
|---------------------------------------------|----------------|---------------|
| EN ISO 13688:2013+EN ISO 13688:2013/A1:2021 |                |               |
| EN ISO 11612:2015                           | EN 1149-5:2018 | EN 61482:2020 |
|                                             |                |               |
| A1, B1, C1, F1                              |                | APC1          |



u 00A3.313U

Product sheet ▶

## FIREWALL tights

Firewall  
Technology

PANTS | SLIM FIT

Sizes XS - S - M - L - XL - XXL | Chart 20 | Weight (size M)145g  
Tech.Comp. 69% Viscose FR, 10% Acrylic Tecstar, 18% Ion Polyamide, 1% Carbon, 2% Elastane  
Conditions Quantity per size: 1 unit



\*Pre-order only

| CE 0161   CAT. III                          |                |               |
|---------------------------------------------|----------------|---------------|
| EN ISO 13688:2013+EN ISO 13688:2013/A1:2021 |                |               |
| EN ISO 11612:2015                           | EN 1149-5:2018 | EN 61482:2020 |
|                                             |                |               |
| A1, B1, C1, F1                              |                | APC1          |



4747\*  
Medium Grey



4747\*  
Medium Grey

00A7.199U

Product sheet ▶



## FIREWALL balaclava

Firewall  
Technology

BALACLAVA

Size U I Weight 77g

Tech.Comp. 67% Viscose FR, 9% Acrylic Tecstar, 19% Ion Polyamide, 1% Carbon, 4% Elastane

Conditions Quantity: 1 unit



\*Pre-order only

| CE   CAT. II                                                                          |  |                                                                                       |  |
|---------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|--|
| EN ISO 13688:2013+EN ISO 13688:2013/A1:2021                                           |  |                                                                                       |  |
| EN ISO 11612:2015                                                                     |  | EN 1149-5:2018                                                                        |  |
|  |  |  |  |
| A1, B1, C1, F1                                                                        |  |                                                                                       |  |



4747\*\*  
Medium Grey

00A7.200U

Product sheet ▶



## FIREWALL balaclava doble\*

Firewall  
Technology

DOUBLE LAYER BALACLAVA

Size U I Weight 135g

Tech.Comp. 67% Viscose FR, 9% Acrylic Tecstar, 19% Ion Polyamide, 1% Carbon, 4% Elastane

Conditions Quantity: 1 unit



\*Double layer fabric

\*\*Pre-order only

| CE 0161   CAT. III                          |                |               |               |
|---------------------------------------------|----------------|---------------|---------------|
| EN ISO 13688:2013+EN ISO 13688:2013/A1:2021 |                |               |               |
| EN ISO 11612:2015                           | EN 1149-5:2018 | EN 61482:2020 | EN 13911:2017 |
|                                             |                |               |               |
| A1,B1,C1,F1                                 |                | APC1          |               |



4747\*  
Medium Grey

00A7.905U

Product sheet ▶



## FIREWALL neckwarmer

Firewall  
Technology

NECKWARMER

Size U I Weight 57g

Tech.Comp. 67% Viscose FR, 9% Acrylic Tecstar, 19% Ion Polyamide, 1% Carbon, 4% Elastane

Conditions Quantity: 1 unit



\*Pre-order only

| CE   CAT. II                                |                |
|---------------------------------------------|----------------|
| EN ISO 13688:2013+EN ISO 13688:2013/A1:2021 |                |
| EN ISO 11612:2015                           | EN 1149-5:2018 |
|                                             |                |
| A1, B1, C1, F1                              |                |



4747\*  
Medium Grey

00A0.184U

Product sheet ▶



## FIREWALL SOCKS FIVE

Firewall  
Technology

SOCKS / UNISEX

Sizes S - M - L - XL I Chart 1 I Height H5 I Weight (size M)33g

Tech.Comp. 45% Viscose FR, 9% Acrylic Tecstar, 38% Ion Polyamide, 1% Carbon, 7% Elastane

Conditions Quantity per size: 3 pairs



\*Pre-order only

|                                       |                                             |
|---------------------------------------|---------------------------------------------|
| <b>CE</b> CAT II                      | EN ISO 13688:2013+EN ISO 13688:2013/A1:2021 |
|                                       | EN ISO 14116:2015                           |
|                                       | EN ISO 11495:2018                           |
| Directiva 89/686/CEE - R.D. 1407/1992 |                                             |



4747\*  
Medium Grey

00A0.190U

Product sheet ▶



## FIREWALL SOCKS SIX

Firewall  
Technology

SOCKS / UNISEX

Sizes S - M - L - XL I Chart 1 I Height H6 I Weight (size M)34g

Tech.Comp. 45% Viscose FR, 9% Acrylic Tecstar, 38% Ion Polyamide, 1% Carbon, 7% Elastane


Conditions Quantity per size: 3 pairs



\*Pre-order only

|                                       |                                             |
|---------------------------------------|---------------------------------------------|
| <b>CE</b> CAT II                      | EN ISO 13688:2013+EN ISO 13688:2013/A1:2021 |
|                                       | EN ISO 14116:2015                           |
|                                       | EN ISO 11495:2018                           |
| Directiva 89/686/CEE - R.D. 1407/1992 |                                             |

# PERSPIRATION GARMENTS



PERSPIRATION



HEAT RETENTION

When sweating and high temperatures are a constant part of everyday life, ensuring a sense of comfort and hygiene are essential.

For this reason, in the perspiration garments collection you will find a wide selection of garments whose main objective is to keep sweat away from the body and avoid the onset of bad odour derived from the proliferation of bacteria.

Thanks to an excellent weaving system, the absence of perimeter seams and 360 degree adaptability, they allow total freedom of movement and prevent rubbing and friction.

Technologies sheet  
Clothing



0000  
Black



0101  
White

00A2.270U

Product sheet ▶



## ICE singlet

**PERFORMANCE**  
DRY  
COOL

UNDERWEAR | SLIM FIT

Sizes XS - S - M - L - XL - XXL | Chart 20 | Weight (size M)73g

Tech.Comp. 73% Polyester, 22% Polyamide, 5% Elastane

Conditions Quantity per size and colour: 1 unit



0000  
Black



0101  
White

00A2.284U

Product sheet ▶



## ICE short sleeves

**PERFORMANCE**  
DRY  
COOL

UNDERWEAR | SLIM FIT

Sizes XS - S - M - L - XL - XXL | Chart 20 | Weight (size M)91g

Tech.Comp. 73% Polyester, 22% Polyamide, 5% Elastane

Conditions Quantity per size and colour: 1 unit



2828  
Ice Grey

U 00A7.285U

Product sheet ▶



## ICE underhelmet

PERFORMANCE  
DRY  
COOL

UNDERHELMET

|            |                                           |        |     |
|------------|-------------------------------------------|--------|-----|
| Size       | U                                         | Weight | 15g |
| Tech.Comp. | 73% Polyester, 22% Polyamide, 5% Elastane |        |     |
| Conditions | Quantity: 2 units                         |        |     |



0000  
Black

M 00A2.286M

Product sheet ▶



## ICE slip

PERFORMANCE  
DRY  
COOL

UNDERWEAR | SLIM FIT

|            |                                           |       |    |                 |     |
|------------|-------------------------------------------|-------|----|-----------------|-----|
| Size       | S - M - L - XL                            | Chart | 20 | Weight (size M) | 31g |
| Tech.Comp. | 73% Polyester, 22% Polyamide, 5% Elastane |       |    |                 |     |
| Conditions | Quantity per size: 1 unit                 |       |    |                 |     |



0000  
Black

M 00A2.287M

Product sheet ▶



## ICE boxer

PERFORMANCE  
DRY  
COOL

UNDERWEAR | SLIM FIT

|            |                                           |       |    |                 |     |
|------------|-------------------------------------------|-------|----|-----------------|-----|
| Size       | S - M - L - XL                            | Chart | 20 | Weight (size M) | 46g |
| Tech.Comp. | 73% Polyester, 22% Polyamide, 5% Elastane |       |    |                 |     |
| Conditions | Quantity per size: 1 unit                 |       |    |                 |     |



0000  
Black

W 00A2.286W

Product sheet ▶



## ICE briefs

PERFORMANCE  
DRY  
COOL


UNDERWEAR | SLIM FIT

|            |                                           |       |    |                 |     |
|------------|-------------------------------------------|-------|----|-----------------|-----|
| Size       | S - M - L                                 | Chart | 21 | Weight (size M) | 25g |
| Tech.Comp. | 73% Polyester, 22% Polyamide, 5% Elastane |       |    |                 |     |
| Conditions | Quantity per size: 1 unit                 |       |    |                 |     |

# THERMO REGULATION GARMENTS



BREATHABILITY



HEAT RETENTION

In working environments subject to changing temperatures or environmental conditions, thermoregulation is key.

Therefore, the collection of thermoregulation garments provides a correct balance of the body temperature by keeping sweat away, allowing a quick drying of the garments and guaranteeing an optimal comfort despite temperature fluctuations outside.

Thanks to an excellent weaving system, the absence of perimeter seams and 360 degree adaptability, they allow total freedom of movement and prevent rubbing and friction.

Technologies sheet  
Clothing





0000  
Black



0101  
White



U 00A2.314U

Product sheet ▶

ACTION long sleeves

UNDERWEAR / SLIM FIT

PERFORMANCE  
ROUND  
TECH

Sizes XS - S - M - L - XL - XXL | Chart 20 | Weight (size M) 118g  
Tech.Comp. 73% Polyester, 24% Polyamide, 3% Elastane  
Conditions Quantity per size and colour: 1 unit



0000  
Black



M 00A2.317M

Product sheet ▶

ACTION pants

UNDERWEAR / SLIM FIT

PERFORMANCE  
ROUND  
TECH

Sizes S - M - L - XL - XXL | Chart 20 | Weight (size M) 93g  
Tech.Comp. 73% Polyester, 24% Polyamide, 3% Elastane  
Conditions Quantity per size: 1 unit



0000  
Black



U 00A2.315U

Product sheet ▶

ACTION short sleeves

UNDERWEAR / SLIM FIT

PERFORMANCE  
ROUND  
TECH

Sizes XS - S - M - L - XL - XXL | Chart 20 | Weight (size M) 96g  
Tech.Comp. 73% Polyester, 24% Polyamide, 3% Elastane  
Conditions Quantity per size: 1 unit



0000  
Black



W 00A2.317W

Product sheet ▶

ACTION pants W

UNDERWEAR / SLIM FIT

PERFORMANCE  
ROUND  
TECH

Sizes XS - S - M - L | Chart 21 | Weight (size M) 103g  
Tech.Comp. 73% Polyester, 24% Polyamide, 3% Elastane  
Conditions Quantity per size: 1 unit



0303  
Dark Grey

W 00A2.257W

Product sheet ▶



N

VECTOR long sleeves W

UNDERWEAR / SLIM FIT



|            |                                           |          |  |                 |      |
|------------|-------------------------------------------|----------|--|-----------------|------|
| Sizes      | XS - S - M - L - XL                       | Chart 21 |  | Weight (size M) | 108g |
| Tech.Comp. | 70% Polyester, 24% Polyamide, 6% Elastane |          |  |                 |      |
| Conditions | Quantity per size and colour: 1 unit      |          |  |                 |      |



0303  
Dark Grey

W 00A2.256W

Product sheet ▶



N

VECTOR pants W

UNDERWEAR / SLIM FIT



|            |                                           |          |  |                 |      |
|------------|-------------------------------------------|----------|--|-----------------|------|
| Sizes      | XS - S - M - L - XL                       | Chart 21 |  | Weight (size M) | 101g |
| Tech.Comp. | 70% Polyester, 24% Polyamide, 6% Elastane |          |  |                 |      |
| Conditions | Quantity per size and colour: 1 unit      |          |  |                 |      |



0303  
Dark Grey

M 00A2.257M

Product sheet ▶



N

VECTOR long sleeves

UNDERWEAR / SLIM FIT



|            |                                           |          |  |                 |      |
|------------|-------------------------------------------|----------|--|-----------------|------|
| Sizes      | S - M - L - XL - XXL                      | Chart 20 |  | Weight (size M) | 135g |
| Tech.Comp. | 70% Polyester, 24% Polyamide, 6% Elastane |          |  |                 |      |
| Conditions | Quantity per size and colour: 1 unit      |          |  |                 |      |



0303  
Dark Grey

M 00A2.256M

Product sheet ▶



N

VECTOR pants

UNDERWEAR / SLIM FIT



|            |                                           |          |  |                 |      |
|------------|-------------------------------------------|----------|--|-----------------|------|
| Sizes      | S - M - L - XL - XXL                      | Chart 20 |  | Weight (size M) | 101g |
| Tech.Comp. | 70% Polyester, 24% Polyamide, 6% Elastane |          |  |                 |      |
| Conditions | Quantity per size and colour: 1 unit      |          |  |                 |      |



0303  
Dark Grey



PAD ultralight  
Density ★

M 00A2.316M

Product sheet ▶



VECTOR pad boxer

UNDERWEAR / SLIM FIT

|            |                                            |
|------------|--------------------------------------------|
| Sizes      | S - M - L   Chart 20   Weight (size M) 67g |
| Tech.Comp. | 70% Polyester, 18% Polyamide, 12% Elastane |
| Conditions | Quantity per size: 1 unit                  |



0303  
Dark Grey



PAD ultralight  
Density ★

W 00A2.316W

Product sheet ▶




VECTOR pad boxer W

UNDERWEAR / SLIM FIT

|            |                                                 |
|------------|-------------------------------------------------|
| Sizes      | XS - S - M - L   Chart 21   Weight (size M) 69g |
| Tech.Comp. | 70% Polyester, 18% Polyamide, 12% Elastane      |
| Conditions | Quantity per size: 1 unit                       |



# THERMAL GARMENTS



BREATHABILITY



HEAT RETENTION

In low temperatures, thermal comfort is compromised and can hinder optimal performance of your daily activities.

For this reason, the thermal garment collection focuses on body temperature retention without neglecting the importance of good sweat management.

Thanks to an excellent weaving system, the absence of perimeter seams and 360 degree adaptability, they allow total freedom of movement and prevent rubbing and friction.

Technologies sheet  
Clothing





0000  
Black



0101  
White



**W** 00A2.288W

Product sheet ▶

**POWER long sleeves W**

UNDERWEAR / SLIM FIT

**Sizes** XS · S · M · L | **Chart** 21 | **Weight (size M)**88g

**Tech.Comp.** 60% Polypropylene, 32% Polyamide, 8% Elastane

**Conditions** Quantity per size and colour: 1 unit

**PERFORMANCE**  
*HOLLOW*  
**THERM**



0000  
Black



**W** 00A2.289W

Product sheet ▶

**POWER pants W**

UNDERWEAR / SLIM FIT

**Sizes** XS · S · M · L | **Chart** 21 | **Weight (size M)**86g

**Tech.Comp.** 60% Polypropylene, 32% Polyamide, 8% Elastane

**Conditions** Quantity per size: 1 unit

**PERFORMANCE**  
*HOLLOW*  
**THERM**



0000  
Black



0101  
White



**M** 00A2.288M

Product sheet ▶

POWER long sleeves

PERFORMANCE  
HOLLOW  
THERM

UNDERWEAR / SLIM FIT

|            |                                               |  |          |  |                    |
|------------|-----------------------------------------------|--|----------|--|--------------------|
| Sizes      | S - M - L - XL - XXL                          |  | Chart 20 |  | Weight (size M)99g |
| Tech.Comp. | 60% Polypropylene, 32% Polyamide, 8% Elastane |  |          |  |                    |
| Conditions | Quantity per size and colour: 1 unit          |  |          |  |                    |



0000  
Black



**M** 00A2.289M

Product sheet ▶

POWER pants

PERFORMANCE  
HOLLOW  
THERM

UNDERWEAR / SLIM FIT

|            |                                               |  |          |  |                    |
|------------|-----------------------------------------------|--|----------|--|--------------------|
| Sizes      | S - M - L - XL - XXL                          |  | Chart 20 |  | Weight (size M)86g |
| Tech.Comp. | 60% Polypropylene, 32% Polyamide, 8% Elastane |  |          |  |                    |
| Conditions | Quantity per size: 1 unit                     |  |          |  |                    |



0000  
Black



**U** 00A2.306U

Product sheet ▶

POWER long sleeves zip

PERFORMANCE  
HOLLOW  
THERM

UNDERWEAR / SLIM FIT

|            |                                               |  |          |  |                     |
|------------|-----------------------------------------------|--|----------|--|---------------------|
| Sizes      | XS - S - M - L - XL                           |  | Chart 20 |  | Weight (size M)114g |
| Tech.Comp. | 60% Polypropylene, 32% Polyamide, 8% Elastane |  |          |  |                     |
| Conditions | Quantity per size: 1 unit                     |  |          |  |                     |





0000  
Black

U 00A7.309U

Product sheet ▶



POWER balaclava

BALACLAVA

PERFORMANCE  
HOLLOW  
THERM

|            |                                                |            |
|------------|------------------------------------------------|------------|
| Sizes      | U I                                            | Weight 32g |
| Tech.Comp. | 60% Polypropylene, 25% Polyamide, 15% Elastane |            |
| Conditions | Quantity: 2 units                              |            |



0000  
Black

U 00A7.308U

Product sheet ▶



POWER neckwarmer


NECKWARMER

PERFORMANCE  
HOLLOW  
THERM

|            |                                                |            |
|------------|------------------------------------------------|------------|
| Sizes      | U I                                            | Weight 35g |
| Tech.Comp. | 57% Polypropylene, 24% Polyamide, 19% Elastane |            |
| Conditions | Quantity: 2 units                              |            |



0000  
Black



TOUCH SCREEN  
Apto para manipulación de  
pantallas táctiles

U 00A7.307U

Product sheet ▶



POWER mitt

GLOVES

PERFORMANCE  
HOLLOW  
THERM

|            |                                                |          |                     |
|------------|------------------------------------------------|----------|---------------------|
| Sizes      | XS · S · M · L                                 | Chart 12 | Weight (size M) 17g |
| Tech.Comp. | 60% Polypropylene, 25% Polyamide, 15% Elastane |          |                     |
| Conditions | Quantity per size: 2 pairs                     |          |                     |





W 00A2.318W

Product sheet ▶



**MERINO WOOL long sleeves W** **PERFORMANCE**  
MERINO  
THERM

Sizes XS · S · M · L | Chart 21 | Weight (size M) 98g  
Tech.Comp. 50% Merino Wool, 32% Polypropylene, 14% Polyamide, 4% Elastane  
Conditions Quantity per size: 1 unit

0000  
Black



W 00A2.319W

Product sheet ▶



**MERINO WOOL pants W** **PERFORMANCE**  
MERINO  
THERM

Sizes XS · S · M · L | Chart 21 | Weight (size M) 123g  
Tech.Comp. 50% Merino Wool, 32% Polypropylene, 14% Polyamide, 4% Elastane  
Conditions Quantity per size: 1 unit

0000  
Black



M 00A2.318M

Product sheet ▶



**MERINO WOOL long sleeves** **PERFORMANCE**  
MERINO  
THERM

Sizes S · M · L · XL · XXL | Chart 20 | Weight (size M) 145g  
Tech.Comp. 50% Merino Wool, 32% Polypropylene, 14% Polyamide, 4% Elastane  
Conditions Quantity per size: 1 unit

0000  
Black



M 00A2.319M

Product sheet ▶



**MERINO WOOL pants** **PERFORMANCE**  
MERINO  
THERM

Sizes S · M · L · XL · XXL | Chart 20 | Weight (size M) 192g  
Tech.Comp. 50% Merino Wool, 32% Polypropylene, 14% Polyamide, 4% Elastane  
Conditions Quantity per size: 1 unit

0000  
Black



U 00A7.320U

Product sheet ▶



**MERINO WOOL neckwarmer** **PERFORMANCE**  
MERINO  
THERM

Sizes U | Weight 40g  
Tech.Comp. 33% Merino Wool, 22% Polypropylene, 43% Polyamide, 2% Elastane  
Conditions Quantity: 2 units

0000  
Black



# SIZING CHARTS

1 UNISEX SOCKS

|                   | XS    | S         | M         | L     | XL    | XXL   |
|-------------------|-------|-----------|-----------|-------|-------|-------|
| EU SIZE           | 33-35 | 36-38     | 39-41     | 42-44 | 45-47 | 48-50 |
| LENGTH D (cm)     | 20-22 | 22.5-24.5 | 24.5-26.5 | 27-29 | 29-31 | 31-33 |
| CIRCUM. S* C cm   | 19-24 | 20-25     | 22-27     | 23-28 | 24-30 | 24-30 |
| CIRCUM. +A** C cm | 19-22 | 20-23     | 22-25     | 23-26 | 24-28 | 24-28 |
| CIRCUM. □ C cm    | 19-22 | 20-23     | 22-25     | 23-26 | 24-28 | 24-28 |


- S

\*Specific cuff design with ribbed cuff optimal fit.

for
- +A


\*\*Specific dual density cuff design ensure the necessary fit for impact.

to



1c FIREWALL SOCKS

|               | S         | M         | L     | XL    |
|---------------|-----------|-----------|-------|-------|
| EU SIZE       | 35-38     | 39-42     | 43-46 | 47-50 |
| LENGTH D (cm) | 22.5-24.5 | 24.5-26.5 | 27-29 | 29-31 |



- 1

Place a sheet of paper on the floor and against the wall.
- 2

Place your foot perpendicular to the wall on the sheet of paper and your heel against the wall.
- 3

Draw a line with a pen just in front of the big toe. Repeat the process on the other foot, using the longer section to determine the size.
- 4


Then, measure the distance between the wall and the line you have drawn to determine your size.

20 MEN / UNISEX

| SLIM FIT                  | XS      | S       | M       | L       | XL      | XXL     |
|---------------------------|---------|---------|---------|---------|---------|---------|
| HEIGHT cm A               | 150-161 | 160-171 | 170-181 | 180-191 | 190-201 | 195-205 |
| CIRCUM. CHEST cm B        | 75-85   | 80-90   | 85-95   | 90-100  | 95-105  | 100-110 |
| WEIGHT Kg (tights only) C | 50-65   | 60-75   | 65-80   | 70-85   | 80-100  | 90-110  |


20c FIREWALL GARMENTS

| SLIM FIT                  | XS      | S       | M       | L       | XL      | XXL     |
|---------------------------|---------|---------|---------|---------|---------|---------|
| HEIGHT cm A               | 150-161 | 160-171 | 170-181 | 180-191 | 190-201 | 195-205 |
| CIRCUM. CHEST cm B        | 80-90   | 85-95   | 90-100  | 95-105  | 100-110 | 110-120 |
| WEIGHT Kg (tights only) C | 50-65   | 65-80   | 75-90   | 85-100  | 95-110  | 105-120 |



21 WOMAN

| STANDARD FIT<br>SLIM FIT  | XS      | S       | M       | L       | XL      |
|---------------------------|---------|---------|---------|---------|---------|
| HEIGHT cm A               | 148-160 | 158-170 | 168-180 | 178-190 | 180-195 |
| CIRCUM. CHEST cm B        | 75-85   | 80-90   | 85-95   | 90-110  | 95-115  |
| WEIGHT Kg (tights only) C | 45-55   | 50-60   | 55-70   | 60-80   | 65-85   |



12 UNISEX GLOVES

|               | XS    | S     | M       | L         |
|---------------|-------|-------|---------|-----------|
| LENGTH D (cm) | 14-16 | 16-18 | 18.1-20 | 20.1-21.5 |

